

Remember: NEVER give an injection without your Epinephrine Pen and inhaler (asthmatics) at hand & keep your vials refrigerated!

Patient's Name:

Vial Number:

WEEK/INJECTION #	DATE	VIAL DOSE	NOTE
1		0.05 cc	First Injection always given in office.
2		0.08 cc	
3		0.10 cc	
4		0.13 cc	
5		0.15 cc	
6		0.18 cc	
7		0.20 cc	
8		0.23 cc	Set up appointment with Dr. Pasha for new vial.
9		0.25 cc	Keep giving 0.25 cc until next appointment
10		0.25 cc	Time to Increase your concentration

Remember: NEVER give an injection without your Epinephrine Pen and inhaler (asthmatics) at hand & keep your vials refrigerated!

Patient's Name:

Vial Number:

WEEK/INJECTION #	DATE	VIAL DOSE	NOTE
1		0.05 cc	First Injection always given in office.
2		0.08 cc	
3		0.10 cc	
4		0.13 cc	
5		0.15 cc	
6		0.18 cc	
7		0.20 cc	
8		0.23 cc	Set up appointment with Dr. Pasha for new vial.
9		0.25 cc	Keep giving 0.25 cc until next appointment
10		0.25 cc	Time to Increase your concentration

Remember: NEVER give an injection without your Epinephrine Pen and inhaler (asthmatics) at hand & keep your vials refrigerated!

Patient's Name:

Vial Number:

WEEK/INJECTION #	DATE	VIAL DOSE	NOTE
1		0.05 cc	First Injection always given in office.
2		0.08 cc	
3		0.10 cc	
4		0.13 cc	
5		0.15 cc	
6		0.18 cc	
7		0.20 cc	
8		0.23 cc	Set up appointment with Dr. Pasha for new vial.
9		0.25 cc	Keep giving 0.25 cc until next appointment
10		0.25 cc	Time to Increase your concentration